



SELECTED TRADITIONAL INDIAN PLANTS AND SPORTS PERFORMANCE: A REVIEW

ARVIND PAREEK¹, SUNIL G PUROHIT, NISHA KHATIK¹ and NEHA SINGH*

Department of Sports Biosciences, Central University of Rajasthan, NH-8 Bandarsindri, Kishangarh, Ajmer, Rajasthan, India

¹Department of Botany, MDS University, Ajmer, Rajasthan, India

*Corresponding Author Email: neha.singh@curaj.ac.in

Plants have been an intrinsic part of Indian culture and embedded in our daily lives in many vital forms. Many plants hold an important place in the religious sphere of the Indian way of life, medicinal value, and different cuisines. Ayurveda, the most ancient traditional medicine system in India, is widely practiced, and the majority of people rely on plants and plant extracts for their primary health care needs. Among the multidimensional importance of plants in different fields, one of the emergent scientific interests is plants' role in enhancing physical performance, including sports and exercise performance in humans. In the current review, we have explored some selected traditional Indian plants in promoting sports and exercise performance. Some of these plants are used as everyday ingredients in Indian food recipes. However, their role in physical performance enhancement is not scientifically studied in detail. Some studies have started bringing up their value as supplements for athletes, and much more still needs to be investigated in future research. The research initiated in establishing the importance of these plants as supplements for athletes is advancing rapidly. It is of great interest to athletes because there is a mass demand for natural alternatives for enhancing sports performance and avoiding the use of performance-enhancing drugs with harmful side effects. Therefore, this review aims to provide an overview of the growing body of literature for plant-based dietary supplements with the potential to promote physical performance. The plants discussed in this review are Ashwagandha (*Withania somnifera*), Arjuna (*Terminalia arjuna*), Ginger (*Zingiber officinale*), Turmeric (*Curcuma longa*), Tulsi (*Ocimum sanctum*), Cinnamon (*Cinnamomum verum*), and Saffron (*Crocus sativus*). The scientific studies on some of the traditional Indian plants compiled in this review illustrate their performance boosting positive attributes such as anti-inflammatory activity, antioxidant activity, muscle repair activity, decreasing muscle damage and soreness, increasing muscle growth and muscle mass, delaying fatigue, stabilizing blood sugar levels, reducing cholesterol, improving lipid profile, increasing endurance, improving gut health, relieving training stress, inducing cardioprotective effect, reducing muscle pain via analgesic effect, increased adaptation to training and many more benefits for a stronger and healthier physique and improved performance. Some of these plants are already used as supplements in sports nutrition for enhanced physical performance or sporting excellence regardless of adequate scientific evidence of large scale studies.

Keywords: Athletes, Endurance, Muscle recovery, Resistance training, Sports performance, Supplements, Traditional Indian plants.

Introduction

Athletes use many dietary supplements and ergogenic aids, and many more are being explored and developed for improving the overall performance of athletes¹⁻⁵. There is a need for new supplementation strategies considering the limitations and various adverse effects of currently used supplements, including performance-enhancing drugs in the sports and fitness industry⁶. One of the evolving strategies is the development of natural alternatives for enhancing physical fitness. The use of plants in Indian traditional medicine "Ayurveda" and almost every aspect of daily life roots from the rich cultural heritage and Vedic culture of India^{7,8}. Many herbs, spices, different parts of the plants such as bark, roots, flowers, leaves, etc. have their significance in treating various diseases, boosting energy, in food, in beverages such as tea, in pest control, and so on. Plants as supplements offer multiple benefits; for example, they are readily available, are safe, free from side effects, and are eco-friendly. For many decades, humans have relied on synthetics for medicine and supplements; however, now people are returning to plant-based alternatives to ensure safety of the human beings and the environment. The traditional Indian plants used in medicine or food or several other purposes also hold a strong potential to improve physical performance⁷⁻⁹. Such plants or plant extracts for boosting energy, stamina, or recovery are well known. Still, only a few plants have been scientifically investigated to understand the mechanism behind their performance enhancement properties. In the current review, we have discussed selected traditional Indian plants for whose physical performance improving properties some scientific evidence has already been established, and further research is continued. The literature in this review is compiled for the following plants: Ashwagandha (*Withania somnifera*), Arjuna (*Terminalia arjuna*), Ginger (*Zingiber officinale*), Turmeric

(*Curcuma longa*), Tulsi (*Ocimum sanctum*), Cinnamon (*Cinnamomum verum*) and Saffron (*Crocus sativus*)

Traditional Indian plants used in sports performance enhancement:

Ashwagandha (*Withania somnifera*)

Withania somnifera is commonly known as Ashwagandha and holds an important place in Indian traditional medicine system-Ayurveda for more than 3000 years. It is also named as Indian ginseng or winter cherry. It is famously referred to as the "Queen of herbs" because of its numerous beneficial effects¹⁰. It is useful in treatment of several diseases such as diabetes, rheumatoid arthritis, epilepsy, gastrointestinal disorders, musculoskeletal conditions, and many more^{11,12}. The added benefit of using this herb as a medicine is that it does not have any side effects. Here, we will discuss the role of Ashwagandha in boosting sports or athletic performance. In addition to being already known for its medicinal value, Ashwagandha has also been found to improve cardiorespiratory and cardiovascular endurance, muscular strength, neuro-muscular coordination, and physical performance of the elite athletes^{10,13,14}. Its supplements help in increasing muscle mass if used in combination with resistance training. It is an adaptogen and therefore builds resistance against physical, chemical, or biological stress. It is known to delay exhaustion and is used as an adrenal fatigue supplement. Additionally, it helps stabilize blood sugar levels and increases total testosterone^{15,16}. Also, it increases insulin secretion in muscle cells, leading to more glucose and amino acid storage in muscle cells¹⁷. It has the ability to increase red blood cell count, which results in an increase in maximum oxygen consumption. It increases muscle growth, muscle strength, and muscle size^{17,18}. When taken as a supplement along with resistance training, it has been found to increase muscle mass¹⁸. It reduces exercise-induced muscle damage and helps

in body fat loss by increasing energy expenditure through stimulating mitochondrial function in adipose tissue and skeletal muscle^{13,19}. It is used as an energy-boosting tonic with an overall improvement in health and longevity. It is useful in overcoming weakness, enhancing the speed, and improving lower limb muscular strength. It helps in increasing breathing power and lung oxygen capacity during exercise¹³. Ashwagandha supplementation has been shown to increase testosterone levels, an anabolic hormone and have multiple physiological effects such as increased muscular power, aerobic endurance, enhanced mental vigor and vitality, and increased regeneration of tissues, and rapid recovery from high exertion exercises^{13,20}. In general, the recommended dosage of Ashwagandha is 1 gram per day and is safe for young athletes' consumption. The literature above indicates that Ashwagandha has the immense capability of boosting overall athletic performance and endurance of athletes¹³.

Arjuna (*Terminalia arjuna*)

Terminalia arjuna, is known by the name of Arjuna in Indian traditional medicine and belongs to the family of Combretaceae. Its bark extract has been used in India for centuries to improve cardiovascular health^{21,22}. It is used to treat various heart ailments such as coronary artery disease, hypercholesterolemia, hypertension, angina pain, and ischemic cardiomyopathy²²⁻²⁴. Additionally, it has been found beneficial for performance enhancement in athletes¹³. It improves cardiovascular endurance and lowers systolic blood pressure. In a clinical trial with resistance training athletes, *Terminalia arjuna* extracts were found to induce a lower resting blood pressure effect. Besides, a reduction in cardiovascular risk and increased lung oxygen capacity was also observed during exercise¹³. It also causes anti-inflammatory and antioxidant effects, which helps prevent excessive

injury or tissue damage and accelerate recovery, thus improving physical performance^{20,23}. In a study by Girandola *et al.*, the *Terminalia arjuna* extract was found to enhance young male athletes' physical endurance by improving left ventricular ejection fraction, time to exhaustion, and rated perceived exertion score. It was also found to boost cardiovascular efficiency and enhanced athletic performance²⁵. Based on its cardioprotective effects, the supplements from bark extract of *Terminalia arjuna* can be used as cardiac endurance enhancer for exercise and optimal performance of athletes^{20,26}. When taken in combination with Ashwagandha supplements, it induces multiple positive traits in the context of enhanced physical performance such as enhanced aerobic capacity, improved cardiovascular endurance, and increased muscular strength in legs¹³. The benefits mentioned above indicate a better recovery after exercise and support this herb as a performance enhancement supplement.

Ginger (*Zingiber officinale*)

Ginger or *Zingiber officinale* is generally used as a spice in food and to treat different ailments in traditional medicine systems in India and some other countries in Asia. Its role in enhancing sports performance is elucidated in multiple studies and is briefly discussed here. In a study by Mashhadi *et al.*, ginger supplements were given to women trained in competitive martial arts, and it was found that the muscle soreness decreased following exercise²⁷. The reduction in muscle soreness was due to the anti-inflammatory and anti-oxidative properties of ginger. Ginger stimulates increased athletic performance, and when used in combination with cinnamon, it decreases muscle soreness after intense exercise^{27,28}. According to some studies, Ginger can be used as an ergogenic aid in sports; it may accelerate maximal strength recovery after resistance exercise and suppress inflammation after cardiorespiratory exercise²⁹. Ginger also

possesses analgesic properties, which can be helpful during exercise training. To minimize existing or anticipated pain during exercise, athletes commonly consume Nonsteroidal anti-inflammatory drugs (NSAIDs). NSAID use is prevalent among athletes undergoing exercise or sports training and athletes in international athletic competitions. However, NSAIDs can cause multiple adverse effects and negatively affect an athlete's health and performance. Given its analgesic properties, Ginger can be a healthy alternative for popular pain medications among athletes with an added benefit of no side effects if taken in recommended amounts²⁹. Ginger can also help relieve nausea or dizziness experienced by some swimmers during or after swimming. It can also keep the digestive tract healthy and help regain appetite in athletes, which is crucial for the body to recover and repair after exercise or sports^{29,30}. Prolonged intense training in athletes can lead to elevated pro-inflammatory cytokines, which can negatively impact their immune system and induce fatigue like symptoms. In a study by Zehsazet *et al.*, it was found that six weeks of ginger administration mitigated the rise of pro-inflammatory cytokines in circulation after exercise or heavy training. Therefore, it helped improve the immune system, avoid fatigue, and improve endurance, performance, and recovery of athletes³¹. It also aids in maintaining the maximum muscle power and diminish the muscle soreness post-exercise or heavy training³². It is also found to reduce the muscle damage markers via its anti-inflammatory and antioxidant properties³³. In multiple studies, it has been found to alleviate muscle pain caused by eccentric exercises^{29,34}.

Turmeric (*Curcuma longa*)

Turmeric or *Curcuma longa* is a versatile spice and is found effective in sports. It has anti-inflammatory and neuroprotective benefits. Turmeric contains several phytochemicals that can be helpful in the

prevention and treatment of multiple ailments. The most intensely investigated phytochemical in turmeric is curcumin and is widely recognized for its multifunctional bioactivities. A study by Basham *et al.*, found that curcumin supplementation reduces exercise-induced oxidative stress, inflammation, muscle damage, and muscle soreness³⁵. This finding of curcumin supplementation is also supported in another study by Jager R. *et al.* confirming the dampening of muscle damage and a faster recovery in competitive athletes following muscle-damaging exercise. It also helps in increased adaptation rate during training and leads to consistently improved performance³⁶. Another study by McFarlin *et al.* supports the oral supplementation of curcumin for inflammation suppression associated with exercise-induced muscle damage³⁷. The anti-inflammatory effect of curcumin takes place by modulating pro-inflammatory cytokines TNF-alpha, IL-6, and IL-8. It also helps in improving muscle performance by decreasing creatine kinase activity. The recommended daily dose for curcumin supplementation is between 150 and 1500 mg/day and should be administered pre and post-exercise for optimal performance improvement in athletes³⁸. For athletes, curcumin supplementation is an excellent alternative to NSAIDs for a reduction in muscle damage and muscle soreness³⁹. A study by Huang W. *et al.* showed an increase in muscular glycogen content on curcumin supplementation⁴⁰. Muscular glycogen is an important energy source for exercise and helps in improving exercise performance⁴⁰. Turmeric is a powerful antioxidant, helps in faster muscle recovery, enhances grip strength and endurance, prevents exercise-induced fatigue, improves exercise performance, benefits body composition, lipid profile, liver, and renal parameters⁴¹. Though there are multiple studies throwing light on numerous benefits of turmeric supplementation for athletes, further

studies are required to investigate the mechanisms of action behind its supplementation effects on sports performance.

Tulsi (*Ocimum sanctum*)

Tulsi, *Ocimum sanctum*, or holy basil, is worshipped and has spiritual and religious significance in India for millions of years. This sacred plant has a significant place in Indian culture and also in traditional Indian medicine. It is popular for its medicinal value⁴², it helps in reducing fasting blood glucose, total cholesterol and improves overall lipid profile in serum and tissue lipids^{43,44}. Besides its medicinal properties, it also can boost energy and enhance overall mental and physical health. It is named as "The queen of herbs," "The incomparable one," and "The mother medicine of nature" because of its innumerable benefits. It is an adaptogen and helps athletes adapt to training stressors and maintain the homeostasis of the body⁴⁵. It reduces the stress hormone cortisol for endurance athletes, increases stamina, and increases immunity against respiratory infections. In several studies, Tulsi has been shown to enhance aerobic metabolism, improve swimming time via central nervous system stimulant or antistress activity⁴⁶, reduce oxidative tissue damage, and normalize physiological and biochemical parameters by physical stressors⁴⁷. It also protects against physical stress from extended physical exertion⁴⁸. Tulsi is also named "Liquid yoga" because its regular consumption induces a calming and relaxing effect and nurtures a sense of overall well-being, just like the standard practice of yoga⁴⁸. It also possesses antioxidant properties, which can help reduce muscle damage after heavy training^{49,50}. In a study by Kumar A. *et al.*, the root extract of *Ocimum sanctum* was found to possess anti-inflammatory, analgesic, and antipyretic properties⁵¹. Therefore, it can also be used as an alternative to NSAIDs by athletes to avoid gastrointestinal problems caused by NSAIDs' long-term use. Tulsi

consumption improves overall gut health and facilitates nutrient breakdown and absorption, crucial for coping with the exercise and training stress in athletes⁴⁸. It is apparent that Tulsi supplementation holds substantial potential as a performance booster in athletes. However, many more studies are required to determine the role of Tulsi extract supplementation in sports nutrition and performance.

Cinnamon (*Cinnamomum verum*)

Cinnamon or *Cinnamomum verum* is native to India but is very popular and used in different cooking and baking recipes worldwide. Ceylon cinnamon and Cassia cinnamon are the two main kinds of cinnamon⁵². It is very high in the compound cinnamaldehyde⁵³ which is mostly credited for the most beneficial cinnamon effects on health and body metabolism. This compound also gives a distinct smell and flavor to cinnamon⁵³. It has multiple health benefits and is in high demand as a supplement in the health and fitness industry. It is known to induce antidiabetic effect by slowing down the digestion of carbohydrates by inhibiting digestive enzymes, resulting in decreased uptake of glucose in the blood and stabilizing insulin levels within the bloodstream⁵⁴⁻⁵⁸. Also, it is found to decrease blood sugar levels, improve insulin sensitivity, and reduce insulin resistance⁵⁹⁻⁶². It is highly enriched with antioxidants⁶³⁻⁶⁷ and protects the body from damage by free radicals after strenuous exercises⁶³. There is also evidence that cinnamon consumption can improve overall lipid profile by reducing bad cholesterol (LDL) and increasing good cholesterol (HDL). Some studies have also shown that cinnamon supplementation can also regulate blood pressure in combination with maintaining cholesterol levels, thus promoting good heart health. In addition to the anti-diabetic^{68,69} and cardioprotective effects^{58,63,70,71}, Cinnamon also possesses sports performance-boosting effect. In a study by Belcher H. *et*

al. , it was found that cinnamon supplementation reduced muscle soreness, increased performance output in college athletes, and has the potential to optimize recovery during peak competition⁷². Cinnamon is rich in manganese and other minerals, important in building healthy bones and tissues. It has anti-inflammatory activity, which helps in reducing muscle pain and soreness⁷³⁻⁷⁷. It also possesses blood-thinning properties, which aid in improving blood circulation in the body. It has also been shown to boost brain activity and function.

Saffron (*Crocus sativus*)

Saffron or *Crocus sativus* is an expensive spice used in India and other Asian countries for ages. Looking at its potential as a supplement in sports nutrition, it has the capability to boost muscular strength in athletes undergoing strength training. In a study by Meamarbashi A. *et al.*, the ergogenic effect of saffron supplementation on muscular strength, pulmonary function, reaction time, and overall athletic performance was evaluated in university students. It was found that the ergogenic effect of saffron supplementation contributed to an increase in muscle mitochondrial biogenesis and faster audio and visual reaction times. A 10% increase in the force production on the leg press and improved muscle blood perfusion and oxygen transport were also observed⁷⁸. These results indicate that saffron supplementation can help athletes perform better in competitive sports. Saffron can also help in quick recovery after strenuous exercises. Saffron also has anti-inflammatory activities and helps to relieve the lactic acid build-up during exercise. Besides, saffron also improves blood circulation in the body, allowing micronutrients and oxygen to reach all parts of the body during and after training, resulting in a healthier physique and better performance. In combination with a balanced diet, Saffron supplementation also helps in weight loss by creating a satiating effect and curbing the cravings

for snacks between meals^{79,80}. In another study by Meamarbashi A. *et al.*, it has been demonstrated that saffron supplementation prevents delayed onset muscle soreness (DOMS), which affects exercise performance after sustained exercise⁸¹. Besides, saffron supplementation also enhances VO₂ max (maximal oxygen uptake) and improves cardiorespiratory fitness⁸². Saffron extract has also been shown to reduce physical fatigue in healthy humans on the supplement's daily oral administration. Many studies have established the efficacy of the saffron extract in reducing mental stress and improving relaxation state. Therefore, it helps avoid the harmful effects of anxiety in competitive athletes. In a study by Abassi W. *et al.*, an acute dose of saffron was found significant enough to improve anaerobic power in young athletic males⁸³. Another study investigated the effect of saffron treatment on exercised Wistar rats and found that saffron supplementation enhanced mitochondrial biogenesis and endurance capacity, decreased inflammation, and oxidative stress during endurance training by modulating several metabolic and genomic factors⁸⁴. However, its results on human endurance training still need to be established in future human trials on saffron supplementation.

Conclusion:

The above-discussed plants have compelling properties for enhancing sports performance, stamina, and recovery in athletes. Although there are limited scientific studies, expanding the use of plant-based supplements with reasonable evidence of their effectiveness, safety, and performance-enhancing benefits might be beneficial for athletes. Some of the studies cited in this review are based on observation in studies on animals. They are yet to be tested and verified for similar positive effects of supplementation in humans for different plants. A significant share of resources is required to establish evidence-based natural supplements for

consumption in the sports and fitness industry. Plant-based natural supplements will not only improve physical performance in athletes but will also protect against upper respiratory tract infections and diseases given their medicinal properties⁸⁵. Strenuous exercise is known to affect the immune system of athletes, and the use of these supplements can overcome the negative impact via the immune-boosting properties⁸⁶. Different formulations as combinations of other plant extracts can also be prepared and tested for their multiple benefits, including performance-enhancing abilities, just like the formulations in the Ayurvedic system for medicinal use against various ailments⁷. For example, the supplementation of Ashwagandha and Arjuna together in healthy young adults to evaluate its effect on physical performance resulted in improved speed, lower limb muscular strength, neuro-muscular coordination, cardiovascular endurance, and muscular power¹³. Future research in this area may shed new light on potential plant-based alternatives as supplements for athletes.

References:

- 1 Liddle D. G. and Connor D. J. 2013, Nutritional supplements and ergogenic AIDs. Primary care 40, 487-505
- 2 Arieli R. and Lahav Y. 2016, [ERGOGENIC SPORT SUPPLEMENTS FOR ATHLETES]. Harefuah 155, 370-373, 385
- 3 Frączek B., Warzecha M., Tyrała F. and Pięta A. 2016, Prevalence of the use of effective ergogenic aids among professional athletes. Roczniki Panstwowego Zakładu Higieny 67, 271-278
- 4 Calfee R. and Fadale P. 2006, Popular ergogenic drugs and supplements in young athletes. Pediatrics 117, e577-589
- 5 Gonzalez A., Church D., Townsend J. and Bagheri R. 2020, Emerging Nutritional Supplements for Strength and Hypertrophy: An Update of the Current Literature. Strength and Conditioning Journal, 1
- 6 Harty P. S., Cottet M. L., Malloy J. K. and Kerksick C. M. 2019, Nutritional and Supplementation Strategies to Prevent and Attenuate Exercise-Induced Muscle Damage: a Brief Review. Sports medicine - open 5, 1
- 7 Pandey M. M., Rastogi S. and Rawat A. K. S. 2013, Indian Traditional Ayurvedic System of Medicine and Nutritional Supplementation. Evidence-Based Complementary and Alternative Medicine 2013, 376327
- 8 Adhikari P. and Paul S. 2018, History of Indian traditional medicine: A medical inheritance. Asian Journal of Pharmaceutical and Clinical Research 11, 421
- 9 Matic I., Guidi A., Kenzo M., Mattei M. and Galgani A. 2018, Investigation of medicinal plants traditionally used as dietary supplements: A review on Moringa oleifera. Journal of public health in Africa 9, 841
- 10 Shenoy S., Chaskar U., Sandhu J. S. and Paadhi M. M. 2012, Effects of eight-week supplementation of Ashwagandha on cardiorespiratory endurance in elite Indian cyclists. Journal of Ayurveda and integrative medicine 3, 209-214
- 11 Prakash J., Gupta S. K. and Dinda A. K. 2002, Withania somnifera root extract prevents DMBA-induced squamous cell carcinoma of skin in Swiss albino mice. Nutr Cancer 42, 91-97
- 12 Singh A., Naidu P. S., Gupta S. and Kulkarni S. K. 2002, Effect of natural and synthetic antioxidants in a mouse model of chronic fatigue syndrome. J Med Food 5, 211-220
- 13 Sandhu J. S., Shah B., Shenoy S., Chauhan S., Lavekar G. S. and Padhi M. M. 2010, Effects of Withania somnifera (Ashwagandha) and Terminalia arjuna (Arjuna) on physical performance and cardiorespiratory endurance in healthy

- young adults. International journal of Ayurveda research 1, 144-149
- 14 Choudhary B., Shetty A. and Langade D. G. 2015, Efficacy of Ashwagandha (*Withania somnifera* [L.] Dunal) in improving cardiorespiratory endurance in healthy athletic adults. *Ayu* 36, 63-68
 - 15 Agnihotri A. P., Sontakke S. D., Thawani V. R., Saoji A. and Goswami V. S. 2013, Effects of *Withania somnifera* in patients of schizophrenia: a randomized, double blind, placebo controlled pilot trial study. *Indian journal of pharmacology* 45, 417-418
 - 16 Ahmad M. K., Mahdi A. A., Shukla K. K., Islam N., Rajender S., Madhukar D., Shankhwar S. N. and Ahmad S. 2010, *Withania somnifera* improves semen quality by regulating reproductive hormone levels and oxidative stress in seminal plasma of infertile males. *Fertility and sterility* 94, 989-996
 - 17 Raut A. A., Rege N. N., Tadvi F. M., Solanki P. V., Kene K. R., Shirolkar S. G., Pandey S. N., Vaidya R. A. and Vaidya A. B. 2012, Exploratory study to evaluate tolerability, safety, and activity of Ashwagandha (*Withania somnifera*) in healthy volunteers. *Journal of Ayurveda and integrative medicine* 3, 111-114
 - 18 Wankhede S., Langade D., Joshi K., Sinha S. R. and Bhattacharyya S. 2015, Examining the effect of *Withania somnifera* supplementation on muscle strength and recovery: a randomized controlled trial. *Journal of the International Society of Sports Nutrition* 12, 43
 - 19 Lee D. H., Ahn J., Jang Y. J., Seo H. D., Ha T. Y., Kim M. J., Huh Y. H. and Jung C. H. 2020, *Withania somnifera* Extract Enhances Energy Expenditure via Improving Mitochondrial Function in Adipose Tissue and Skeletal Muscle. *Nutrients* 12
 - 20 Sodhi V. 2016, Athletic Performance Enhancement with Ayurvedic Supplements. *International Journal of Complementary and Alternative Medicine* 3
 - 21 Chopra R. N. and Ghosh S. 1929, *Terminalia Arjuna*: Its Chemistry, Pharmacology and Therapeutic Action. *Ind Med Gaz* 64, 70-73
 - 22 Dwivedi S. and Chopra D. 2014, Revisiting *Terminalia arjuna* – An Ancient Cardiovascular Drug. *Journal of Traditional and Complementary Medicine* 4, 224-231
 - 23 Jain S., Yadav P. P., Gill V., Vasudeva N. and Singla N. 2009, *Terminalia arjuna* a sacred medicinal plant: phytochemical and pharmacological profile. *Phytochemistry Reviews* 8, 491-502
 - 24 Kapoor D., Vijayvergiya R. and Dhawan V. 2014, *Terminalia arjuna* in coronary artery disease: ethnopharmacology, pre-clinical, clinical & safety evaluation. *Journal of ethnopharmacology* 155, 1029-1045
 - 25 Girandola R. N. and Srivastava S. 2017, Effect of E-OJ-01 on Cardiac Conditioning in Young Exercising Adults: A Randomized Controlled Trial. *American journal of therapeutics* 24, e298-e307
 - 26 Dissanayake K. G. C. and Kna D. *Terminalia arjuna as a Cardiac Endurance Enhancer for Optimal Performance of Athletes*. (2016).
 - 27 Mashhadi N. S., Ghiasvand R., Askari G., Feizi A., Hariri M., Darvishi L., Barani A., Taghiyar M., Shiranian A. and Hajishafiee M. 2013, Influence of ginger and cinnamon intake on inflammation and muscle soreness endured by exercise in Iranian female athletes. *Int J Prev Med* 4, S11-15
 - 28 Mashhadi N. S., Ghiasvand R., Hariri M., Askari G., Feizi A., Darvishi L., Hajishafiee M. and Barani A. 2013, Effect of ginger and cinnamon intake on oxidative stress and exercise

- performance and body composition in Iranian female athletes. *Int J Prev Med* 4, S31-S35
- 29 Wilson P. B. 2015, Ginger (*Zingiber officinale*) as an Analgesic and Ergogenic Aid in Sport: A Systemic Review. *Journal of strength and conditioning research* 29, 2980-2995
- 30 Sellami M., Slimeni O., Pokrywka A., Kuvačić G., D Hayes L., Milic M. and Padulo J. 2018, Herbal medicine for sports: a review. *Journal of the International Society of Sports Nutrition* 15, 14
- 31 Zehsaz F., Farhangi N. and Mirheidari L. 2014, The effect of *Zingiber officinale* R. rhizomes (ginger) on plasma pro-inflammatory cytokine levels in well-trained male endurance runners. *Central-European journal of immunology* 39, 174-180
- 32 Dominguez-Balmaseda D., Diez-Vega I., Larrosa M., San Juan A. F., Issaly N., Moreno-Perez D., Burgos S., Sillero-Quintana M., Gonzalez C., Bas A., Roller M. and Perez-Ruiz M. 2020, Effect of a Blend of *Zingiber officinale* Roscoe and *Bixa orellana* L. Herbal Supplement on the Recovery of Delayed-Onset Muscle Soreness Induced by Unaccustomed Eccentric Resistance Training: A Randomized, Triple-Blind, Placebo-Controlled Trial. *Frontiers in physiology* 11, 826
- 33 Harty P. S., Cottet M. L., Malloy J. K. and Kerksick C. M. 2019, Nutritional and Supplementation Strategies to Prevent and Attenuate Exercise-Induced Muscle Damage: a Brief Review. *Sports medicine - open* 5, 1
- 34 Black C. D., Herring M. P., Hurley D. J. and O'Connor P. J. 2010, Ginger (*Zingiber officinale*) reduces muscle pain caused by eccentric exercise. *The journal of pain : official journal of the American Pain Society* 11, 894-903
- 35 Ms S. A. B., Waldman P. H. S., Krings P. B. M., Lamberth P. J., Smith P. J. W. and McAllister P. M. J. 2020, Effect of Curcumin Supplementation on Exercise-Induced Oxidative Stress, Inflammation, Muscle Damage, and Muscle Soreness. *Journal of Dietary Supplements* 17, 401-414
- 36 Jäger R., Caldwell A. R., Sanders E., Mitchell J. B., Rogers J., Purpura M. and Oliver J. M. 2017, Curcumin Reduces Muscle Damage and Soreness Following Muscle-Damaging Exercise. *The FASEB Journal* 31, lb766-lb766
- 37 McFarlin B. K., Venable A. S., Henning A. L., Sampson J. N. B., Pennel K., Vingren J. L. and Hill D. W. 2016, Reduced inflammatory and muscle damage biomarkers following oral supplementation with bioavailable curcumin. *BBA Clinical* 5, 72-78
- 38 Fernández-Lázaro D., Mielgo-Ayuso J., Seco Calvo J., Córdova Martínez A., Caballero García A. and Fernandez-Lazaro C. I. 2020, Modulation of Exercise-Induced Muscle Damage, Inflammation, and Oxidative Markers by Curcumin Supplementation in a Physically Active Population: A Systematic Review. *Nutrients* 12, 501
- 39 Heaton L. E., Davis J. K., Rawson E. S., Nuccio R. P., Witard O. C., Stein K. W., Baar K., Carter J. M. and Baker L. B. 2017, Selected In-Season Nutritional Strategies to Enhance Recovery for Team Sport Athletes: A Practical Overview. *Sports Med* 47, 2201-2218
- 40 Huang W.-C., Chiu W.-C., Chuang H.-L., Tang D.-W., Lee Z.-M., Wei L., Chen F.-A. and Huang C.-C. 2015, Effect of curcumin supplementation on physiological fatigue and physical performance in mice. *Nutrients* 7, 905-921
- 41 Huang W. C., Chiu W. C., Chuang H. L., Tang D. W., Lee Z. M., Wei L., Chen F. A. and Huang C. C. 2015, Effect of curcumin supplementation on physiological fatigue and physical

- performance in mice. *Nutrients* 7, 905-921
- 42 Pattanayak P., Behera P., Das D. and Panda S. K. 2010, *Ocimum sanctum* Linn. A reservoir plant for therapeutic applications: An overview. *Pharmacognosy reviews* 4, 95-105
- 43 Hussain E. H., Jamil K. and Rao M. 2001, Hypoglycaemic, hypolipidemic and antioxidant properties of tulsi (*Ocimum sanctum* linn) on streptozotocin induced diabetes in rats. *Indian J Clin Biochem* 16, 190-194
- 44 Rai V., Iyer U. and Mani U. V. 1997, Effect of Tulasi (*Ocimum sanctum*) leaf powder supplementation on blood sugar levels, serum lipids and tissues lipids in diabetic rats. *Plant Foods for Human Nutrition* 50, 9-16
- 45 Kaur P., Robin, Makanjuola V. O., Arora R., Singh B. and Arora S. 2017, Immunopotentiating significance of conventionally used plant adaptogens as modulators in biochemical and molecular signalling pathways in cell mediated processes. *Biomedicine & pharmacotherapy = Biomedecine & pharmacotherapie* 95, 1815-1829
- 46 Maity T. K., Mandal S. C., Saha B. P. and Pal M. 2000, Effect of *Ocimum sanctum* roots extract on swimming performance in mice. *Phytotherapy research : PTR* 14, 120-121
- 47 Bathala L. R., Rao Ch V., Manjunath S., Vinuta S. and Vemulapalli R. 2012, Efficacy of *Ocimum sanctum* for relieving stress: a preclinical study. *The journal of contemporary dental practice* 13, 782-786
- 48 Cohen M. M. 2014, Tulsi - *Ocimum sanctum*: A herb for all reasons. *Journal of Ayurveda and integrative medicine* 5, 251-259
- 49 Uma Devi P. 2001, Radioprotective, anticarcinogenic and antioxidant properties of the Indian holy basil, *Ocimum sanctum* (Tulasi). *Indian journal of experimental biology* 39, 185-190
- 50 Subramanian M., Chintalwar G. J. and Chattopadhyay S. 2005, Antioxidant and radioprotective properties of an *Ocimum sanctum* polysaccharide. *Redox report : communications in free radical research* 10, 257-264
- 51 Kumar A., Agarwal K., Maurya A. K., Shanker K., Bushra U., Tandon S. and Bawankule D. U. 2015, Pharmacological and phytochemical evaluation of *Ocimum sanctum* root extracts for its antiinflammatory, analgesic and antipyretic activities. *Pharmacognosy magazine* 11, S217-224
- 52 Chen P., Sun J. and Ford P. 2014, Differentiation of the four major species of cinnamons (*C. burmannii*, *C. verum*, *C. cassia*, and *C. loureiroi*) using a flow injection mass spectrometric (FIMS) fingerprinting method. *Journal of agricultural and food chemistry* 62, 2516-2521
- 53 Torbati M., Nazemiyeh H., Lotfipour F., Nemati M., Asnaashari S. and Fathiazad F. 2014, Chemical composition and in vitro antioxidant and antibacterial activity of *Heracleum transcaucasicum* and *Heracleum anisactis* roots essential oil. *Bioimpacts* 4, 69-74
- 54 Adisakwattana S., Lerdsuwankij O., Poputtachai U., Minipun A. and Suparpprom C. 2011, Inhibitory activity of cinnamon bark species and their combination effect with acarbose against intestinal α -glucosidase and pancreatic α -amylase. *Plant foods for human nutrition (Dordrecht, Netherlands)* 66, 143-148
- 55 Mohamed Sham Shihabudeen H., Hansi Priscilla D. and Thirumurugan K. 2011, Cinnamon extract inhibits α -glucosidase activity and dampens postprandial glucose excursion in diabetic rats. *Nutrition & metabolism* 8, 46
- 56 Kirkham S., Akilen R., Sharma S. and Tsiami A. 2009, The potential of cinnamon to reduce blood glucose

- levels in patients with type 2 diabetes and insulin resistance. *Diabetes, obesity & metabolism* 11, 1100-1113
- 57 Pham A. Q., Kourlas H. and Pham D. Q. 2007, Cinnamon supplementation in patients with type 2 diabetes mellitus. *Pharmacotherapy* 27, 595-599
- 58 Mang B., Wolters M., Schmitt B., Kelb K., Lichtinghagen R., Stichtenoth D. O. and Hahn A. 2006, Effects of a cinnamon extract on plasma glucose, HbA_{1c}, and serum lipids in diabetes mellitus type 2. *European journal of clinical investigation* 36, 340-344
- 59 Qin B., Panickar K. S. and Anderson R. A. 2010, Cinnamon: potential role in the prevention of insulin resistance, metabolic syndrome, and type 2 diabetes. *J Diabetes Sci Technol* 4, 685-693
- 60 Anderson R. A. 2008, Chromium and polyphenols from cinnamon improve insulin sensitivity. *The Proceedings of the Nutrition Society* 67, 48-53
- 61 Jarvill-Taylor K. J., Anderson R. A. and Graves D. J. 2001, A hydroxychalcone derived from cinnamon functions as a mimetic for insulin in 3T3-L1 adipocytes. *Journal of the American College of Nutrition* 20, 327-336
- 62 Imparl-Radosevich J., Deas S., Polansky M. M., Baedke D. A., Ingebritsen T. S., Anderson R. A. and Graves D. J. 1998, Regulation of PTP-1 and insulin receptor kinase by fractions from cinnamon: implications for cinnamon regulation of insulin signalling. *Hormone research* 50, 177-182
- 63 Rao P. V. and Gan S. H. 2014, Cinnamon: a multifaceted medicinal plant. *Evid Based Complement Alternat Med* 2014, 642942-642942
- 64 Mancini-Filho J., Van-Koij A., Mancini D. A., Cozzolino F. F. and Torres R. P. 1998, Antioxidant activity of cinnamon (*Cinnamomum Zeylanicum*, Breyne) extracts. *Bollettino chimico farmaceutico* 137, 443-447
- 65 Shobana S. and Naidu K. A. 2000, Antioxidant activity of selected Indian spices. *Prostaglandins, leukotrienes, and essential fatty acids* 62, 107-110
- 66 Mathew S. and Abraham T. E. 2006, In vitro antioxidant activity and scavenging effects of *Cinnamomum verum* leaf extract assayed by different methodologies. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association* 44, 198-206
- 67 Dhuley J. N. 1999, Anti-oxidant effects of cinnamon (*Cinnamomum verum*) bark and greater cardamom (*Amomum subulatum*) seeds in rats fed high fat diet. *Indian journal of experimental biology* 37, 238-242
- 68 Kim S. H., Hyun S. H. and Choung S. Y. 2006, Anti-diabetic effect of cinnamon extract on blood glucose in db/db mice. *Journal of ethnopharmacology* 104, 119-123
- 69 Subash Babu P., Prabuseenivasan S. and Ignacimuthu S. 2007, Cinnamaldehyde--a potential antidiabetic agent. *Phytomedicine : international journal of phytotherapy and phytopharmacology* 14, 15-22
- 70 Kumar S., Vasudeva N. and Sharma S. 2012, GC-MS analysis and screening of antidiabetic, antioxidant and hypolipidemic potential of *Cinnamomum tamala* oil in streptozotocin induced diabetes mellitus in rats. *Cardiovascular diabetology* 11, 95
- 71 Khan A., Safdar M., Ali Khan M. M., Khattak K. N. and Anderson R. A. 2003, Cinnamon improves glucose and lipids of people with type 2 diabetes. *Diabetes care* 26, 3215-3218
- 72 Belcher H., Couch M., Smith S. and Coate K. 2019, The Effects of Cinnamon Supplementation on Muscle Soreness and Performance

- Output in Collegiate Athletes. *Journal of the Academy of Nutrition and Dietetics* 119, A132
- 73 Chao L. K., Hua K. F., Hsu H. Y., Cheng S. S., Liu J. Y. and Chang S. T. 2005, Study on the antiinflammatory activity of essential oil from leaves of *Cinnamomum osmophloeum*. *Journal of agricultural and food chemistry* 53, 7274-7278
- 74 Tung Y. T., Chua M. T., Wang S. Y. and Chang S. T. 2008, Anti-inflammation activities of essential oil and its constituents from indigenous cinnamon (*Cinnamomum osmophloeum*) twigs. *Bioresource technology* 99, 3908-3913
- 75 Tung Y. T., Yen P. L., Lin C. Y. and Chang S. T. 2010, Anti-inflammatory activities of essential oils and their constituents from different provenances of indigenous cinnamon (*Cinnamomum osmophloeum*) leaves. *Pharmaceutical biology* 48, 1130-1136
- 76 Gunawardena D., Karunaweera N., Lee S., van Der Kooy F., Harman D. G., Raju R., Bennett L., Gyengesi E., Sucher N. J. and Münch G. 2015, Anti-inflammatory activity of cinnamon (*C. zeylanicum* and *C. cassia*) extracts - identification of E-cinnamaldehyde and o-methoxy cinnamaldehyde as the most potent bioactive compounds. *Food & function* 6, 910-919
- 77 Liao J. C., Deng J. S., Chiu C. S., Hou W. C., Huang S. S., Shie P. H. and Huang G. J. 2012, Anti-Inflammatory Activities of *Cinnamomum cassia* Constituents In Vitro and In Vivo. *Evid Based Complement Alternat Med* 2012, 429320
- 78 Meamarbashi A. and Rajabi A. 2016, Potential Ergogenic Effects of Saffron. *J Diet Suppl* 13, 522-529
- 79 Gout B., Bourges C. and Paineau-Dubreuil S. 2010, Satiereal, a *Crocus sativus* L extract, reduces snacking and increases satiety in a randomized placebo-controlled study of mildly overweight, healthy women. *Nutrition research* 30, 305-313
- 80 Mehrialvar Y., Heydarianpour A. and Erfaniadab F. 2020, Comparison of the Effect of Different Intensities of Exercise Training with Saffron Supplementation on the Metabolic Balance in Overweight and Obesity Women. *Yafteh* 22
- 81 Meamarbashi A. and Rajabi A. 2015, Preventive Effects of 10-Day Supplementation With Saffron and Indomethacin on the Delayed-Onset Muscle Soreness. *Clinical Journal of Sport Medicine* 25, 105-112
- 82 Meamarbashi A. and Hakimi V. 2014, Effects of saffron supplementation on the cardio-respiratory endurance in the healthy inactive girls.
- 83 Abassi W., Ouerghi N., Jebabli N., Feki M. and Bouassida A. 2020, Effect of a single dose of Saffron (*Crocus sativus*) on anaerobic power in young active males. *Science & Sports* 35, 176-179
- 84 Akbari-Fakhrabadi M., Najafi M., Mortazavian S., Rasouli M., Memari A.-H. and Shidfar F. 2019, Effect of saffron (*Crocus sativus* L.) and endurance training on mitochondrial biogenesis, endurance capacity, inflammation, antioxidant, and metabolic biomarkers in Wistar rats. *Journal of Food Biochemistry* 43, e12946
- 85 Somerville V. S., Braakhuis A. J. and Hopkins W. G. 2016, Effect of Flavonoids on Upper Respiratory Tract Infections and Immune Function: A Systematic Review and Meta-Analysis. *Adv Nutr* 7, 488-497
- 86 Sharma P., Kumar P., Sharma R. and Gupta G. 2017, Immunomodulators: Role of medicinal plants in immune system. *National Journal of Physiology, Pharmacy and Pharmacology* 7, 1